

09/752,744

L Number	Hits	Search Text	DB	Time stamp
1	14	multicast adj fail\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:25
2	110005	(primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:33
3	135	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) with failover	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:38
4	18	multicast adj packet adj receiver\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:39
5	0	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) with failover) and (multicast adj packet adj receiver\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:39
6	263	multicast adj2 packet\$ adj2 receiv\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:39
7	1	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) with failover) and (multicast adj2 packet\$ adj2 receiv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:41
8	20	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:41
9	20	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) not (multicast adj fail\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:41
10	8619	(primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10

11	22101	(primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10
12	464	(primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:21
13	3	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:37
14	104	(multicast or multi-cast) near2 fail\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:08
15	2879	synchroniz\$6 near2 packet\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:48
16	338	(insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:50
17	2	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((multicast or multi-cast) near2 fail\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:54
18	1	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and (synchroniz\$6 near2 packet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:54

19	1	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:54
20	2	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:55
21	9	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 15:59
22	8	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((multicast or multi-cast) near2 fail\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:04
23	7	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((multicast or multi-cast) near2 fail\$6)) not (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:00
24	3	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and (synchroniz\$6 near2 packet\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:05

25	9	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:06
26	0	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) not (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) not (multicast adj fail\$6)) or ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((multicast or multi-cast) near2 fail\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:43
27	722082	(detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:22
28	18	((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)) same ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:27

29	11	((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 16:43
----	----	---	---	---------------------

30	9	<p>(((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))) not (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) not (multicast adj fail\$6)) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((multicast or multi-cast) near2 fail\$6)) or (((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)) same ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/03/10 17:11</p>
31	15	<p>primary adj (multicast or multi-cast)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/03/10 17:08</p>

32	1	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and (primary adj (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10
33	3	((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and (primary adj (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:10
34	8	(primary adj (multicast or multi-cast)) not (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) not (multicast adj fail\$6)) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((multicast or multi-cast) near2 fail\$6)) or (((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)) same ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:19

35	2	((primary adj (multicast or multi-cast)) not (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) near3 (server\$ or stream or packet\$ or receiver\$ or multicast)) same (multicast adj2 packet\$ adj2 receiv\$4)) not (multicast adj fail\$6)) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))) or (((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((multicast or multi-cast) near2 fail\$6)) or (((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)) same ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)))) and ((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:20
36	18	((detect\$4 or track\$4 or monitor\$4) same (fail\$6 or error\$6 or problem or malfunct\$4 or (adverse adj change) or abnormal)) same ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:23
37	161	(multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.cccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:28

38	7	(multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:28
39	27	(multicast adj2 packet\$ adj2 receiv\$4) and (71/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:28
40	94	(multicast adj2 packet\$ adj2 receiv\$4) and (7/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
41	218	((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
42	0	((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
43	1	((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29

44	18	(((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:29
45	22	(((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30
46	48	(((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30
47	77	(((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$)) or (((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$)) or (((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30

48	0	<p> ((((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$)) or (((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$)) or (((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)))) and ((multicast or multi-cast) near2 fail\$6) and (synchroniz\$6 near2 packet\$) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30
----	---	--	---	---------------------

49	4	((((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj2 server\$)) or (((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 receiver\$)) or (((multicast adj2 packet\$ adj2 receiv\$4) and (370/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (714/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (71\$/\$.ccls.)) or ((multicast adj2 packet\$ adj2 receiv\$4) and (7\$/\$.ccls.))) and ((primary or second\$6 or redundan\$4 or backup or back-up or mirror\$4 or slave) adj3 (multicast or multi-cast)))) and ((multicast or multi-cast) near2 fail\$6) and ((insert\$6 or add\$6 or combin\$6 or merg\$6) near3 ((multicast or multi-cast)adj1 packet\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 17:30
----	---	---	---	---------------------